

COMHAIRLE CHONTAE LIATROMA
LEITRIM COUNTY COUNCIL



Declaration Regarding Development / Exempted Development
(Section 5 of Planning & Development Acts 2000 As Amended)

APPLICATION FORM

Please note: A fee of €80.00 must accompany this form

1. Name of person seeking declaration [Applicant] LEO ROONEY

2. Postal Address of Property /Site or Building to which the declaration sought relates

Carrickeeny, Manorhamilton, Co Leitrim

3 Applicant's legal interest in the land or structure. [Give details] Land owner

4. State whether or not the applicant is the owner of the property in question ☒ Yes or [No] and if {No} please provide the information under item 11 at the end of this form

5 State if owner / occupiers are aware of the current application for Declaration under S 5 of the Act ☒ [Y] / [N]

6 Type of declaration sought

- a. That the proposal is or is not development within the Act ☒ Yes or [No] and if {yes}
b. That the development is or is not Exempt development ☒ Yes or [No]

7 Provide full description of the question / matter / subject which arises wherein a declaration on the question is sought? Upgrade and extend farm road to


improve access for livestock feeding and
movement.

Applying for a TAMS Grant from the DAFM -

Require proof that no planning permission is required

Closing date for Tranche 4-TAMS Applications is

September 6th 2024.



Points	Length	Status	Proposed Improvement
A-B	100m	Existing farm road	Resurface with 804
B-C	65m	Existing farm track	Proposed width 250cm. Remove topsoil to 30 cm, set down Terram membrane, backfill with 270mm 616 stone (3 inch down), top 30mm with 804 (dust), camber topsoil to limit run off into water pathways.
C-D	35m	New farm road	Proposed width 250cm. Remove topsoil to 30 cm, set down Terram membrane, backfill with 270mm 616 stone (3 inch down), top 30mm with 804 (dust), camber topsoil to limit run off into water pathways.
D-A	130m	New farm road	Proposed width 250cm. Remove topsoil to 30 cm, set down Terram membrane, backfill with 270mm 616 stone (3 inch down), top 30mm with 804 (dust), camber topsoil to limit run off into water pathways.
Total length	330m		

Signature:  Date: 24 07 24

{The applicant is advised to set out the matter on which the declaration is sought, as comprehensively as possible and should use additional material / pages if necessary, to give as full account as possible of this matter A site map to a scale of not less than 1:2500 based on the Ordnance Survey map for the area, shall be provided to identify the lands in question.}

Additional accompanying documentation provided ☒ [Yes] / [No]

The applicant is advised that notwithstanding the completion of the above application form, that the planning authority may require the applicant to submit further information with regard to the request in order to enable the authority to issue the declaration on the question.

The applicant is also advised that the Authority may also request other persons, other than the applicant to submit information on the question which has arisen and on which the declaration is sought.

FOR OFFICE USE ONLY

Date Received..... Fee of €80.00 Paid. [Yes] / [No]

Date acknowledged..... Reference No.: -ED- _____

Decision:.....

Date declaration made.....

M.O. No.....

APPLICATION FORM : ADDITIONAL CONTACT INFORMATION :
See next page, which must be completed.

APPLICATION FORM continued:**ADDITIONAL CONTACT INFORMATION****NOT TO BE MADE AVAILABLE TO THE GENERAL PUBLIC WITH APPLICATION****Please note:**

- The applicant's address **must** be submitted on this page.
- If the applicant/agent wishes to submit additional contact information, this may be included here.
- This page will not be published as part of the planning file.

8. Applicant:

Address (Required)	Leo Rooney
Telephone No. (optional)	
Email Address (if any)	N/A
Fax No. (if any)	N/A

9. Person/Agent acting on behalf of the Applicant (if any):

Name and Address	Andrew Chilton Clerragh, Corrigeenroe, Boyle Co Roscommon
Telephone No. (optional)	086 662 7415
Email Address (if any)	andrew.chilton@gmail.com
Fax No. (if any)	N/A

Should all correspondence be sent to the Agent's address? (please tick appropriate box)
(Please note that if the answer is 'No', all correspondence will be sent to the Applicant's address)

Yes ☒ No ☐

10. Person responsible for preparation of any Drawings and Plans accompanying the application:

Name and Address	Andrew Chilton Clerragh Corrigeenroe, Boyle Co Roscommon
Telephone No. (optional)	086 662 7415
Email Address (if any)	andrew.chilton@gmail.com
Fax No. (if any)	


11. Owner (required where applicant is not the owner):

Name of Owner (Required)	Leo Rooney
Address (required)	
Telephone No. (optional)	
Email Address (if any)	

PLANNING DEPARTMENT
LEITRIM COUNTY COUNCIL


25 JUL 2024

ED-24-27









Points	Length	Status	Proposed Improvement
A-B	100m	Existing farm road	Resurface with 804
B-C	65m	Existing farm track	Proposed width 250cm. Remove topsoil to 30 cm, set down Terram membrane, backfill with 270mm 616 stone (3 inch down), top 30mm with 804 (dust), camber topsoil to limit run off into water pathways.
C-D	35m	New farm road	Proposed width 250cm. Remove topsoil to 30 cm, set down Terram membrane, backfill with 270mm 616 stone (3 inch down), top 30mm with 804 (dust), camber topsoil to limit run off into water pathways.
D-A	130m	New farm road	Proposed width 250cm. Remove topsoil to 30 cm, set down Terram membrane, backfill with 270mm 616 stone (3 inch down), top 30mm with 804 (dust), camber topsoil to limit run off into water pathways.
Total length	330m		